



Alcohol Situation in Russia, 1980-2002


**Alexander Nemtsov
Moscow Research Institute of Psychiatry**

Registered alcohol consumption (Goskomstat RF) and estimations of actual consumption (Goskomstst RF, V.Treml and A.Nemtsov)




Number of Deaths in Russia in 1965-2002







Relation of mortality (y) and alcohol consumption (x)



Total deaths of Russian males




Ratio of mortality and consumption of alcohol




Share alcoholic mortality in separate kinds mortality, Russia, 1990-2001

<i>Kinds of mortality and morbidity</i>	<i>tg</i>	<i>Share alcoholic mortality or morbidity, %</i>
Alcohol poisonings	1.95	100.0
Homicides	1.41	72.2
Suicides	0.81	42.1
Other external causes	1.03	52.6
Cirrhosis of liver	1.03	67.2
Pancreatitis	1.18	60.1
Cardiovascular	0.45	23.2
Other mortality	0.51	26.0
Aggregate mortality	0.72	31.6
Alcoholic psychoses	1.91	97.5


Correlation of prices for alcohol drinks and foodstuffs




Burden of Alcohol Mortality in Federal Districts



Components of alcoholic mortality in leading regions



Alcohol mortality (% total mortality aged 15+) and alcohol consumption



alcohol consumption in 1997 (Lindberg, 1999)

calculation of alcohol mortality in 1995 (Ramstedt, 2002)